



Das Original

# CURIL K2

## Safety Data Sheet

according to Regulation (EU) No. 2015/830

Date of issue: 08/04/2014

Revision date: 29/09/2017

Version: 3.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : CURIL K2

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Use of the substance/mixture : Sealants

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

ElringKlinger AG  
Max-Eyth-Straße 2  
72581 Dettingen/Erms - Germany

Information contact: E-mail: det.iam.sdb@elringklinger.com

Safety Data Sheet: DLAC Dienstleistungsagentur Chemie GmbH, E-mail: sds@dlac-gmbh.de

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
Germany	Giftinformationszentrum (GIZ-Nord) Zentrum Pharmakologie und Toxikologie der Universität Göttingen	Robert-Koch Strasse 40 D-37075 Göttingen	+49 551 19240

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225

Full text of H-phrases: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

Signal word (CLP) : Danger  
Hazard statements (CLP) : H225 - Highly flammable liquid and vapour  
Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P233 - Keep container tightly closed  
P403+P235 - Store in a well-ventilated place. Keep cool  
P501 - Dispose of contents/container to an authorised waste collection point

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

# CURIL K2

## Safety Data Sheet

according to Regulation (EU) No. 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol, ethyl alcohol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43	25 - 50	Flam. Liq. 2, H225
Potassium aluminum silicate (Mica)	(CAS No) 12001-26-2 (EC no) -	5 - 10	Not classified
Silica gel	(CAS No) 112926-00-8 (EC no) 238-878-4	5 - 10	Not classified
silicon dioxide	(CAS No) 112945-52-5	1 - 3	Not classified

Full text of H-phrases: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Remove/Take off immediately all contaminated clothing. In case of loss of conscience place the victim in the recovery position.
- First-aid measures after inhalation : Allow victim to breathe fresh air. Call a POISON CENTER or doctor/physician if you feel unwell.
- First-aid measures after skin contact : Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Drink plenty of water as a precaution. Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Carbon dioxide. Extinguishing powder. Sand. Water spray.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : Carbon dioxide. Carbon monoxide.

#### 5.3. Advice for firefighters

- Firefighting instructions : Prevent fire-fighting water from entering environment.
- Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Exclude sources of ignition and ventilate the area.

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Use appropriate ventilation. Do not flush with water.

#### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

# CURIL K2

## Safety Data Sheet

according to Regulation (EU) No. 2015/830

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Keep away from sources of ignition - No smoking. May form flammable/explosive vapour-air mixture. Take precautionary measures against static discharge. Ensure good ventilation of the work station.
- Hygiene measures : Remove contaminated clothes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. When using do not eat, drink or smoke.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in original container. Store in dry, cool, well-ventilated area. Keep container tightly closed.
- Storage temperature : 15 - 25 °C
- Prohibitions on mixed storage : Keep away from food, drink and animal feedingstuffs.

#### 7.3. Specific end use(s)

Sealants.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Ethanol, ethyl alcohol (64-17-5)		
Ireland	Local name	Ethanol
Ireland	OEL (15 min ref) (ppm)	1000 ppm
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	1920 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	1000 ppm
Potassium aluminum silicate (Mica) (12001-26-2)		
Ireland	Local name	Mica
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup> (R)
United Kingdom	Local name	Mica
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (total inhalable)
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	0.8 mg/m <sup>3</sup> (respirable)
Silica, amorphous (-)		
United Kingdom	Local name	Silica, amorphous
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	6 mg/m <sup>3</sup> inhalable dust 2.4 mg/m <sup>3</sup> respirable
Ireland	Local name	Silica, amorphous
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	6 mg/m <sup>3</sup> inhalable dust 2.4 mg/m <sup>3</sup> respirable

Ethanol, ethyl alcohol (64-17-5)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	1900 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	950 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Acute - local effects, inhalation	950 mg/m <sup>3</sup>
Long-term - systemic effects, oral	87 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	114 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.96 mg/l
PNEC aqua (marine water)	0.79 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	3.6 mg/kg dwt
PNEC sediment (marine water)	2.9 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	580 mg/l

#### 8.2. Exposure controls

- Hand protection : Wear suitable gloves (to European standard EN 374 or equivalent). Nitrile rubber. Butyl rubber. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection : Chemical goggles or safety glasses (EN 166).
- Skin and body protection : Wear suitable protective clothing. (DIN EN 13034).

# CURIL K2

## Safety Data Sheet

according to Regulation (EU) No. 2015/830

Respiratory protection : Use adequate ventilation to keep vapour concentrations below applicable standard.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Appearance : Viscous  
Colour : No data available  
Odour : Odourless  
Odour threshold : No data available  
pH : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point : No data available  
Freezing point : No data available  
Boiling point : 78 °C  
Flash point : 13 °C  
Auto-ignition temperature : 425 °C (DIN 51794)  
Decomposition temperature : No data available  
Flammability (solid, gas) : Not applicable  
Vapour pressure : 59 hPa (20 °C)  
Relative vapour density at 20 °C : No data available  
Relative density : No data available  
Density : 1.04 g/cm<sup>3</sup> (20 °C, DIN 51757)  
Solubility : Water: Not miscible  
Log Pow : No data available  
Viscosity, kinematic : No data available  
Viscosity, dynamic : No data available  
Explosive properties : Product is not explosive. In use may form flammable/explosive vapour-air mixture.  
Oxidising properties : No data available  
Explosive limits : 3.5 - 15 vol %

#### 9.2. Other information

VOC content : 29.7 %  
Solid content : 70.3 %

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

#### 10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

None known.

#### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Ethanol, ethyl alcohol (64-17-5)	
LD50 oral rat	> 2000 mg/kg (OECD 401)
LD50 dermal rabbit	> 2000 mg/kg (OECD 402)
LC50 inhalation rat (Vapours)	51 mg/l/4h

Skin corrosion/irritation : Not classified  
Based on available data, the classification criteria are not met

# CURIL K2

## Safety Data Sheet

according to Regulation (EU) No. 2015/830

Serious eye damage/irritation	: Not classified Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated exposure)	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ethanol, ethyl alcohol (64-17-5)	
LC50 fish	> 100 mg/l 48 h, <i>Leuciscus idus</i> (OECD 203)
EC50 daphnia	> 100 mg/l 24 h, <i>Daphnia magna</i> (OECD 202)
ErC50 algae	> 100 mg/l <i>Chlorella pyrenoidosa</i> (OECD 201)

#### 12.2. Persistence and degradability

CURIL K2	
Persistence and degradability	Not established.

#### 12.3. Bioaccumulative potential

CURIL K2	
Bioaccumulative potential	Not established.

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Do not empty into drains. Do not dispose of with domestic waste.
Waste disposal recommendations	: Empty the packaging completely prior to disposal. When totally empty, containers are recyclable like any other packing.
European List of Waste (LoW) code	: 08 00 00 - WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS 08 04 00 - wastes from MFSU of adhesives and sealants (including waterproofing products) 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

#### 14.1. UN number

UN-No. (ADR)	: 1170
UN-No.(IATA)	: 1170
UN-No. (IMDG)	: 1170

# CURIL K2

## Safety Data Sheet

according to Regulation (EU) No. 2015/830

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ETHANOL (ETHYL ALCOHOL)
Proper Shipping Name (IATA)	: ETHANOL (ETHYL ALCOHOL)
Proper Shipping Name (IMDG)	: ETHANOL (ETHYL ALCOHOL)
Transport document description (ADR)	: UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II, (D/E)

### 14.3. Transport hazard class(es)

Class (ADR)	: 3
Classification code (ADR)	: F1
Class (IATA)	: 3
Class (IMDG)	: 3
Danger labels (ADR)	: 3



Hazard labels (IATA)	: 3
----------------------	-----



Danger labels (IMDG)	: 3
----------------------	-----



### 14.4. Packing group

Packing group (ADR)	: II
Packing group (IATA)	: II
Packing group (IMDG)	: II


### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available.

### 14.6. Special precautions for user

#### 14.6.1. Overland transport

Hazard identification number (Kemler No.)	: 33
Classification code (ADR)	: F1
Orange plates	:



Special provisions (ADR)	: 144, 601
Transport category (ADR)	: 2
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
EAC code	: •2YE

#### 14.6.2. Transport by sea

Special provisions (IMDG)	: 144
Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1

# CURIL K2

## Safety Data Sheet

according to Regulation (EU) No. 2015/830

EmS-No. (Fire) : F-E  
EmS-No. (Spillage) : S-D  
Stowage category (IMDG) : A

### 14.6.3. Air transport

CAO packing instructions (IATA) : 364  
CAO max net quantity (IATA) : 60L  
PCA packing instructions (IATA) : 353  
PCA Limited quantities (IATA) : Y341  
PCA limited quantity max net quantity (IATA) : 1L  
PCA max net quantity (IATA) : 5L  
PCA Excepted quantities (IATA) : E2  
Special provisions (IATA) : A3, A58, A180  
ERG code (IATA) : 3L

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances  
VOC content : 29.7 %

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out

## SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Abbreviations and acronyms : RID - International Rule for Transport of Dangerous Substances by Railway. ICAO - International Civil Aviation Organization. ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road. IMDG - International Maritime Code for Dangerous Goods. IATA - International Air Transport Association. GHS - Globally Harmonised System. CAS - Chemical Abstracts Service. PNEC - Predicted No Effect Concentration. LD50/LC50 - Lethal Dose/Lethal Concentration, 50 percent. DNEL - Derived No Effect Level. EINECS - European Inventory of Existing Commercial Chemical Substances.

Full text of H- and EUH-phrases:

Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*