

Zinga

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 2011/07/06 Revision date: 2017/11/06 Supersedes: 2014/02/27 Version: 5.0

SECTION 1: Identification of the su	ubstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Trade name	: Zinga
Product code	: ZM01
Type of product	: Preparation
Product group	: Trade product
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against
1.2.1. Relevant identified uses	
Intended for general public	
Main use category	: Industrial use, Professional use, Consumer use
Industrial/Professional use spec	: Paint Coating
Function or use category	: 55/999 Others
1.2.2. Uses advised against	
Restrictions on use	: Any other intended applications should be discussed with the manufacturer
1.3. Details of the supplier of the safe	ty data sheet
Zingametall Bvba Rozenstraat 4, Industriepark B- 9810 Eke Tel.: +32 (0)9 385 68 81 Fax.: +32 (0) 9 385 58 69 E-mail: zingametall@zinga.be Mr. Bruno Saverys 1.4. Emergency telephone number	
1.4. Emergency telephone number Emergency number Emergency number	: +32 (0) 70 245 245
	Anti-poison Center
SECTION 2: Hazards identification	
2.1. Classification of the substance of	
Classification according to Regulation (EC	
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Acute Hazard, Category 1 Hazardous to the aquatic environment —	H400 H410
Chronic Hazard, Category 1	
Full text of H-statements see section 16.	

Adverse physicochemical, human health and environmental effects

May be fatal if swallowed and enters airways. May cause respiratory irritation. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Version: 5.0

	(REACH) with its amendment Regulation (EO) 2015/650	Version. 5.0
2.2. Label elements		
Labelling according to Regulation ((EC) No. 1272/2008 [CLP]	
Hazard pictograms (CLP)		
	GHS07 GHS08 GHS09	
Signal word (CLP)	: Danger	
Hazardous ingredients	: Solvent naphtha (petroleum), light arom.	
Hazard statements (CLP)	 H304 - May be fatal if swallowed and enters airwa H335 - May cause respiratory irritation. H336 - May cause drowsiness or dizziness. H410 - Very toxic to aquatic life with long lasting endoted and the statement of the statemen	
Precautionary statements (CLP)	 P102 - Keep out of reach of children. P261 - Avoid breathing vapours, fume. P271 - Use only outdoors or in a well-ventilated a P301+P310 - IF SWALLOWED: Immediately call P331 - Do NOT induce vomiting. P501 - Dispose of contents/container to hazardou accordance with local, regional, national and/or in 	a POISON CENTER. us or special waste collection point, in
EUH-statements	EUH066 - Repeated exposure may cause skin dr	yness or cracking.
2.3. Other hazards		
Other hazards not contributing to the classification	e : May be dangerously slippery if spilled. Take actio	n to prevent static discharges.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
zinc powder - zinc dust (stabilised)	(CAS-No.) 7440-66-6 (EC-No.) 231-175-3 (EC Index-No.) 030-001-01-9 (REACH-no) 01-2119467174-37-XXXX	70-80	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Solvent naphtha (petroleum), light arom.	(CAS-No.) 64742-95-6 (EC-No.) 265-199-0 (EC Index-No.) 649-356-00-4 (REACH-no) 01-2119455851-35	20-30	Flam. Liq. 3, H226 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

SECTION 4: First aid measures I.1. Description of first aid measu	res		
First-aid measures general	: If exposed: Call a POISON CENT	ER/doctor. First aider: Pay attention to self- on. Ensure adequate air ventilation.	protection!. Do n
First-aid measures after inhalation	remove to fresh air and keep at re dangerous to the person providin	oms: Call a poison center or a doctor. If brea est in a position comfortable for breathing. It g aid to give mouth-to mouth resuscitation. Jsers of breathing apparatus must be traine	may be Give oxygen or
First-aid measures after skin contact	,	ated clothing and wash it before reuse. Imm SKIN: Wash with plenty of soap and water.	nediately call a
First-aid measures after eye contact		n water for several minutes. Remove contac Immediately consult a doctor/medical servic sy to do. Continue rinsing.	
First-aid measures after ingestion	POISON CENTER/doctor. Do NO	ter (only if the person is conscious). Immed T induce vomiting. Never give anything by r xposed person feels sick as vomitting may than hips to prevent aspiration.	mouth to an
2017/12/01	Authoring: . Quick.MSDS Sprl – Belgium	SDS Ref.: QM316	2/1

4.2 Moot immediate summtance and affect	a both pouts and delayed
4.2. Most important symptoms and effects	
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section and/or in section 11. Further important symptoms and effects are so far not known.
Symptoms/effects after inhalation	: May cause headache, nausea and irritation of respiratory tract. Vomiting.
Symptoms/effects after skin contact	: irritation (itching, redness, blistering).
Symptoms/effects after eye contact	: Slight irritation.
Symptoms/effects after ingestion	: May cause: Disturbances of consciousness.
4.3. Indication of any immediate medical a	attention and special treatment needed
Treat according to symptoms (decontamination, vi	ital functions), no known specific antidote.
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. dry chemical powder. Alcohol resistant foam. Carbon oxides (CO, CO2).
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the subs	stance or mixture
Fire hazard	: On burning: release of harmful/irritant gases/vapours. Flammable liquid and vapour. Hazardo
	combustion products. carbon oxides (CO and CO2).
Explosion hazard	 Take precautionary measures against static discharge. No data available on direct explosion hazard.
Reactivity in case of fire	: Evolution of fumes. On burning: release of harmful gases/vapours.
Hazardous decomposition products in case of	: Carbon dioxide. Carbon monoxide. fume.
fire	
5.3. Advice for firefighters	
Precautionary measures fire	: Exclude sources of heat, sparks and open flame. Approach from upwind. Avoid all eye and s contact and do not breathe vapour and mist.
Firefighting instructions	: Cool tanks/drums with water spray/remove them into safety. Evacuate personnel to a safe an Take account of environmentally hazardous firefighting water.
Protection during firefighting	: Appropriate self-contained breathing apparatus may be required. Fire-resistant protective clothing.
Other information	: Avoid release to the environment. Refer to special instructions/safety data sheets. The degree of risk is governed by the burning substance and the fire conditions.
SECTION 6: Accidental release measu	ures
6.1. Personal precautions, protective equi	ipment and emergency procedures
General measures	 Avoid all eye and skin contact and do not breathe vapour and mist. Eliminate every possible source of ignition. Explosive vapour/air mixtures may be formed. No flames, no sparks. Eliminate all sources of ignition. Do not smoke. Do not touch or walk through spilled material May be dangerously slippery if spilled. Evacuate personnel to a safe area.
6.1.1. For non-emergency personnel	
Protective equipment	: For further information refer to section 8: "Exposure controls/personal protection".
6.1.2. For emergency responders	
Protective equipment	: For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment. Not in groundwa	ater, surfacewater or sewerage.
6.3. Methods and material for containmen	nt and cleaning up
For containment	: Clean up any spills as soon as possible, using an absorbent material to collect it.
Methods for cleaning up	 Absorb spillage to prevent material damage. Contain and collect spillages with non-combust absorbent materials, e.g sand, earth, vermiculite, diatomaceous earth. Shovel or sweep up put in a closed container for disposal
Methods for cleaning up Other information	
	absorbent materials, e.g sand, earth, vermiculite, diatomaceous earth . Shovel or sweep up put in a closed container for disposal.
Other information	absorbent materials, e.g sand, earth, vermiculite, diatomaceous earth . Shovel or sweep up put in a closed container for disposal.
Other information 6.4. Reference to other sections Reference to other sections (8, 13). SECTION 7.	absorbent materials, e.g sand, earth, vermiculite, diatomaceous earth . Shovel or sweep up put in a closed container for disposal.
Other information 6.4. Reference to other sections Reference to other sections (8, 13). SECTION 7. SECTION 7: Handling and storage	absorbent materials, e.g sand, earth, vermiculite, diatomaceous earth . Shovel or sweep up put in a closed container for disposal.
Other information 6.4. Reference to other sections Reference to other sections (8, 13). SECTION 7.	absorbent materials, e.g sand, earth, vermiculite, diatomaceous earth . Shovel or sweep up put in a closed container for disposal.

Precautions for safe handling	 Avoid contact with skin and eyes. Do not breathe adequate ventilation. Heating can release hazard sources/sparks. Take precautionary measures ag and receiving equipment. Use explosion-proof ele tools. 	lous gases. Keep away from ignition jainst static discharge. Ground/bond containe
Hygiene measures	 Emergency eye wash fountains should be available exposure. Do not eat, drink or smoke when using industrial hygiene and safety practice. 	
2. Conditions for safe storage, ind	luding any incompatibilities	
Technical measures	: Use grounded electrical/mechanical equipment. E	Ensure adequate air ventilation.
Storage conditions	 Keep away from ignition sources (including static ventilated containers away from heat, sparks, ope other initiators. Protect against frost. Store locked 	en flame, strong oxidizers, radiations, and
ncompatible products	: Keep away from: strong acids, strong bases and	oxidising compounds, water, reductor agents
Heat and ignition sources	: No flames, no sparks. Eliminate all sources of igr	nition.
nformation on mixed storage	: highly flammable materials. Segregate from foods	stuffs.
Storage area	 Store locked up. Keep out of direct sunlight. Keep against frost. 	p in a cool, well-ventilated place. Protect
Special rules on packaging	: Keep only in original container.	
Packaging materials	: No data available.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Solvent naphtha (petroleum)	, light arom. (64742-95-6)	
EU	IOELV TWA (mg/m³)	100 mg/m³ EU HSPA (GW)_ aromatic solvents 160- 185

8.2. Exposure controls

Appropriate engineering controls:

Good ventilation of the workplace required. If these are not sufficient to maintain concentrations of particulates and/or solvent vapours below the relevant occupational exposure limits, suitable respiratory protective equipment should be worn. At high temperatures : Both local exhaust and good general room ventilation must be provided not only to control exposure but also to prevent formation of flammable mixtures. Use spark-/explosionproof appliances and lighting system.

Personal protective equipment:

Gloves. Safety glasses. protective clothing. Insufficient ventilation: wear respiratory protection.

Materials for protective clothing:

Wear anti-static discharges clothing and shoes. Foresee ground with earth. rubber

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Skin and body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust)

Respiratory protection:

Avoid all eye and skin contact and do not breathe vapour and mist. Wear respiratory protection. Where exposure through inhalation may occur from use, approved respiratory protection equipment is recommended.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Version: 5.0



Thermal hazard protection:

On heating: self-contained breathing apparatus.

Environmental exposure controls:

Assure that emissions are compliant with all applicable air pollution control regulations.

Other information:

Avoid contact with skin and eyes. Avoid prolonged or repeated contact with skin. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Do not eat, drink or smoke during use. Separate working clothes from town clothes. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical pr	operties
9.1. Information on basic physical and ch	emical properties
Physical state	: Solid
Appearance	: Paste.
Colour	: Grey.
Odour	: aromatic.
Odour threshold	: Not determined due to potential health hazard by inhalation
рН	: Not determined
Relative evaporation rate (butylacetate=1)	: Not determined
Melting point	: Not applicable
Freezing point	: Not determined
Boiling point	: 150 - 185 (Solvent Naphta)
Flash point	: 40 - 60 °C
Auto-ignition temperature	: 507 °C (Solvent Naphta)
Decomposition temperature	: Not determined
Flammability (solid, gas)	: No data available
Vapour pressure	:210 - 1300 kPa @20°C (Solvent Naphta)
Relative vapour density at 20 °C	: Not determined
Relative density	: No data available
Density	: 2,67 g/cm ³
Solubility	: Insoluble in water.
Log Pow	: Not determined
Viscosity, kinematic	: Not determined
Viscosity, dynamic	: Not determined
Explosive properties	: No data available. Explosive vapour/air mixtures may be formed.
Oxidising properties	: Not determined.
Explosive limits	: Not determined
9.2. Other information	
VOC content	: 474 g/l EPA Method 24
Bulk density	: Not applicable
Other properties	: If necessary, information on other physical and chemical parameters is indicated in this section.
Additional information	: No further information available.
SECTION 10: Stability and reactivity	
10.1. Reactivity	
None under normal conditions.	

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

None under normal conditions.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.4. Conditions to avoid

Avoid high temperatures. Protect from sunlight. Keep away from reducing agents/(strong) acids /(strong) bases. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Strong oxidizers. acids and bases. Reducing agent.

10.6. Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated. Vapours may form explosive mixture with air. Thermal decomposition generates : Carbon oxides (CO, CO2).

SECTION 11: Toxicological informati	on
1.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Additional information	: The product has not been tested. The statement has been derived from the properties of the individual components.
zinc powder - zinc dust (stabilised) (7440-6	6-6)
LD50 oral rat	> 2001 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5,4 mg/l/4h
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not determined
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not determined
Respiratory or skin sensitisation	. Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
zinc powder - zinc dust (stabilised) (7440-6	6-6)
NOAEL (animal/male, F1)	7,5 mg/kg bodyweight (OECD 416 method)
STOT-single exposure	: May cause respiratory irritation. May cause drowsiness or dizziness.
Additional information	: The product has not been tested. The statement has been derived from the properties of the individual components.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
zinc powder - zinc dust (stabilised) (7440-6	6-6)
LOAEL (oral, rat, 90 days)	53,8 mg/kg bodyweight/day ECHA reference
NOAEL (oral, rat, 90 days)	31,52 mg/kg bodyweight/day ECHA reference
Aspiration hazard	: May be fatal if swallowed and enters airways.
Additional information	: The product has not been tested. The statement has been derived from the properties of the individual components.
Potential adverse human health effects and symptoms	: Harmful if inhaled. Harmful if swallowed. Toxic in contact with skin.
Other information	: The product has not been tested. The statement has been derived from the properties of the individual components.
ECTION 12: Ecological information	
2.1. Toxicity	
Ecology - general	: Avoid release to the environment. The product has not been tested. The statement has been derived from the properties of the individual components.
Ecology - air	: The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozo layer.
Ecology - water	: Not in groundwater, surfacewater or sewerage.
Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.
Zinga	
Additional information	The product has not been tested

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Version: 5.0

zinc powder - zinc dust (stabilised) (7440-66-6)			
LC50 fish 1	0,238 - 0,269 mg/l Fathead Minnow (Pimephales promelas)		
EC50 Daphnia 1	0,356 mg/l 48h		
EC50 72h algae (1)	0,106 mg/l Pseudokirchneriella subcapita		
NOEC (chronic)	0,0727 mg/l 21d		
Solvent naphtha (petroleum), light arom. (64742-95-6)			
LC50 fish 1	1 - 10 mg/l		
EC50 Daphnia 1	1 - 10 mg/l		
EC50 72h algae (1)	1 - 10 mg/l		

12.2. Persistence and degradability

Zinga			
Persistence and degradability	This material has not been tested.		
Biodegradation Not determined			
Solvent naphtha (petroleum), light arom. (64742-95-6)			
Persistence and degradability	Readily biodegradable. photochemicals. Oxidation.		
12.3. Bioaccumulative potential			
Zinga			
Log Pow	Not determined		
Bioaccumulative potential	No data available. This material has not been tested.		
Solvent naphtha (petroleum), light arom. (647	42-95-6)		
Bioaccumulative potential	Bioaccumulative potential.		
12.4. Mobility in soil			
Zinga			
Ecology - soil	This material has not been tested. No information available about this product.		
Solvent naphtha (petroleum), light arom. (647	42-95-6)		
Ecology - soil	Immiscible with water.		
12.5. Results of PBT and vPvB assessment	·		
Component			
Solvent naphtha (petroleum), light arom. (64742-95-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
12.6. Other adverse effects			
Other adverse effects	: None under normal conditions.		
Additional information	: Avoid release to the environment.		
OFOTION 42. Diseased as a side water			
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
o o (,)	: Contain and dispose of waste according to local regulations.		
Waste treatment methods	: Collect all waste in suitable and labelled containers and dispose according to local legislation. Dispose of this material and its container at hazardous or special waste collection point.		
Sewage disposal recommendations	: Do not discharge into drains or the environment.		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Packs that cannot be cleaned should be disposed of in the same manner as the contents.		
Additional information	: Avoid discharge to the environment. This material and its container must be disposed of in a safe way, and as per local legislation.		
Ecology - waste materials	: Beware of residues or vapours which remain in the drums.		

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN				
ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1263	1263	1263	1263	1263
14.2. UN proper shippi	ng name			
PAINT / PAINT RELATED MATERIAL	PAINT RELATED MATERIAL	Paint	PAINT RELATED MATERIAL	PAINT RELATED MATERIAL

ccording to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Version: 5.0			Version: 5.0	
ADR	IMDG	IATA	ADN	RID
Transport document descr	Transport document description			
UN 1263 PAINT / PAINT RELATED MATERIAL (CONTAINS ; Solvent naphtha (petroleum), light arom. Low boiling point naphtha - unspecified), 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1263 PAINT RELATED MATERIAL, 3, III, MARINE POLLUTANT/ENVIRONM ENTALLY HAZARDOUS	UN 1263 Paint, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1263 PAINT RELATED MATERIAL, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1263 PAINT RELATED MATERIAL, 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard	class(es)			
3	3	3	3	3
14.4. Packing group				
111	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

14.6. Special precautions for user

- Overland transport

- Overland transport	
Classification code (ADR)	: F1
Special provisions (ADR)	: 163, 640E, 650, 367
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T2
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	30 1263
Tunnel restriction code (ADR)	: D/E
- Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG)	 : 163, 223, 955 : 5 L : E1 : P001, LP01 : PP1 : IBC03 : T2

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Miscibility with water depends upon the composition.
MFAG-No	: 127;128
Air transport	
- Air transport PCA Excepted quantities (IATA)	: E1
	· E1 : Y344
PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA)	
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3, A72, A192
ERG code (IATA)	: 3L
- Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN)	: 163, 367, 640E, 650
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0
- Rail transport	
Classification code (RID)	: F1
Special provisions (RID)	: 163, 367, 640E, 650
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions	: T2
(RID) Portable tank and bulk container special	: TP1, TP29
provisions (RID)	
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Calia averaga (averaga paragla) (DID)	: CE4
Colis express (express parcels) (RID)	. 024

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Solvent naphtha (petroleum), light arom.
 Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008 	Solvent naphtha (petroleum), light arom.

Version: 5.0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Version: 5.0

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Solvent naphtha (petroleum), light arom.		
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Solvent naphtha (petroleum), light arom.		
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	Zinga - Solvent naphtha (petroleum), light arom.		
Contains no substance on the REACH candidate list			

Contains no REACH Annex XIV substances

VOC content Other information, restriction and prohibition regulations

: 474 g/l EPA Method 24

: Ensure all national/local regulations are observed. If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. No further information available.

National regulations 15.1.2.

Users should ensure that they comply with any relevant local, provincial or national legislation.

15.2. **Chemical safety assessment**

For the following substances of this mixture a chemical safety assessment has been carried out:

zinc Available on request

SECTION 16: Other information

Indication of changes:

Report mixture CLP classification/labelling.

Section		Changed item	Change	Comments	
Abbreviations a	and acrony	ms:			
ADN	Europ	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways			
ADR	Europ	European Agreement concerning the International Carriage of Dangerous Goods by Road			
ATE	Acute	Acute Toxicity Estimate			
BCF	Biocor	Bioconcentration factor			
CLP	Classi	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008			
DMEL	Derive	Derived Minimal Effect level			
DNEL	Derive	Derived-No Effect Level			
DPD	Dange	Dangerous Preparations Directive 1999/45/EC			
DSD	Dange	Dangerous Substances Directive 67/548/EEC			
EC50	Media	Median effective concentration			
IARC	Interna	International Agency for Research on Cancer			
IATA	Interna	International Air Transport Association			
IMDG	Interna	International Maritime Dangerous Goods			
LC50	Media	Median lethal concentration			
LD50	Media	Median lethal dose			
LOAEL	Lowes	Lowest Observed Adverse Effect Level			
NOAEC	No-Ob	No-Observed Adverse Effect Concentration			
NOAEL	No-Ob	No-Observed Adverse Effect Level			
NOEC	No-Ob	No-Observed Effect Concentration			
OECD	Organ	Organisation for Economic Co-operation and Development			
PBT	Persis	Persistent Bioaccumulative Toxic			
PNEC	Predic	Predicted No-Effect Concentration			
REACH	Regist	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006			
RID	Regula	Regulations concerning the International Carriage of Dangerous Goods by Rail			
SDS	Safety	/ Data Sheet			
2017/12/01		Authoring: . Quic	ck.MSDS Sprl – Belgium	SDS Ref.: QM316	10/1

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Version: 5.0

STP	Sewage treatment plant		
TLM	Median Tolerance Limit		
vPvB	Very Persistent and Very Bioaccumulative		
Data sources		: Manufacturer/Supplier. Authoring: . Quick.MSDS Sprl - Belgium info@quickmsds.de +32 (0) 479 469 465.	
Training advice		: Normal use of this product shall imply use in accordance with the instructions on the packaging and in line with the expectations of a professional user.	
Other information :		: No further information available.	
Full text of H- and	EUH-statements:		
Aquatic Acute 1		Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1 Hazardous to the aquatic environment — Chronic Hazard, Category 1		Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Aquatic Chronic 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2		
Asp. Tox. 1	Asp. Tox. 1 Aspiration hazard, Category 1		
Flam. Liq. 3 Flammable liquids, Category 3		Flammable liquids, Category 3	
STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation		Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
STOT SE 3	STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis		
H226	226 Flammable liquid and vapour.		
H304	May be fatal if swallowed and enters airways.		
H335		May cause respiratory irritation.	
H336		May cause drowsiness or dizziness.	
H400		Very toxic to aquatic life.	
H410		Very toxic to aquatic life with long lasting effects.	
H411		Toxic to aquatic life with long lasting effects.	
EUH066	Repeated exposure may cause skin dryness or cracking.		

MSDS EU (REACH Annex II).

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product